

Express Mail No: EQ 619695080 US

CLAIM AMENDMENTS

2 CLAIMS

3 We claim:

4 1. (Currently amended) A provisioning method for comprising provisioning at least one
5 computing environment in a computing utility, said method step of provisioning comprising:
6 employing a description of each of said at least one computing environment, said description
7 directing an invocation of a first service which performs said provisioning, said description being
8 a composite resource definition; and
9 invoking said first service to perform said provisioning.

10 2. (Original) A method as recited in claim 1, wherein said first service is a provisioning resource
11 service, and said method further comprises said first service making available a managed
12 resource service for managing each of said at least one computing environment.

13 3. (Currently amended) A method as recited in claim 2, comprising at least one limitation taken
14 from a group of limitations consisting of:

15 wherein there is at least one provisioning resource service associated with each type of base
16 resource and each type of composite resource;

17 wherein said provisioning resource service provides a plurality of provisioning instances;

18 wherein said provisioning resource service is comprised of a group of provisioning resource
19 services, each member of said group of provisioning resource services is associated with a
20 particular type of resource in said composite resource description;

Docket No.: YOR920030588US1

-3/15-

Express Mail No: EQ 619695080 US

1 wherein the step of invoking further comprising employing said provisioning resource service for
2 the computing environment by recursively employing each member of said group according to
3 said composite resource description;

4 wherein each base resource has a base resource instance, and wherein there is at least one
5 managed resource service associated with each base resource instance;

6 wherein there is one managed resource service for all instances of a resource type within a single
7 computing environment;

8 wherein each composite resource has a composite resource instance, and wherein there is at least
9 one managed resource service associated with each composite resource instance; and

10 wherein said managed resource service is comprised of a group of managed resource services,
11 each member of said group of managed resource services is associated with a particular instance
12 of resource in said composite resource description.

13 4. (Canceled)

14 5. (Original) A method as recited in claim 2, wherein the step of invoking comprises:

15 obtaining at least one plan to satisfy said at least one computing environment;

16 selecting a particular plan;

17 requesting base resources corresponding to said particular plan from said computing utility;

18 repeating the steps of selecting and requesting until said base resources corresponding to said
19 particular plan is obtained; and

Docket No.: YOR920030588US1

-4/15-

Express Mail No: EQ 619695080 US

1 configuring said base resources into an instance of said computing environment.

2 6. (Original) A method as recited in claim 5, wherein said base resources satisfy a request
3 criterion taken from a group of request criteria comprising:

4 a designated time at which the resources will be provisioned;

5 duration of resource availability;

6 resource-specific selection criteria; and

7 any combination of these request criteria.

8 7. - 11. (canceled)

9 12. (Currently amended) A method as recited in claim 5, further comprising at least one
10 limitation taken from a group of limitations consisting of:

11 wherein said provisioning resource service is comprised of a group of provisioning resource
12 services, each member of said group of provisioning resource services is associated with a
13 particular type of resource in said composite resource description; and

14 wherein the step of invoking further comprising employing said provisioning resource service for
15 the computing environment by recursively employing each member of said group according to
16 said composite resource description; and

17 wherein the step of obtaining said at least one plan comprises recursively obtaining at least one
18 plan for each sub-resource, and combining the result; and

Express Mail No: EQ 619695080 US

1 wherein the step of configuring said base resources into an instance of said computing
2 environment comprises recursively configuring base resources corresponding to each
3 sub-resource, and configuring the result;

4 wherein the step of obtaining further comprises specifying at least one condition restricting the
5 plans obtained;

6 further comprising transforming reservations for base resources into allocated base resources;

7 wherein the step of obtaining is repeated according to a repetition criterion taken from a group of
8 repetition criteria comprising: changes in the description of the computing environment, changes
9 in the set of base resource types, changes in the set of composite resource types; and any
10 combination of these repetition criteria;

11 wherein the steps of selecting and requesting are repeated according to a repetition criterion taken
12 from a group of repetition criteria comprising: changes in the selection criteria, changes in
13 resource availability, changes in resource reservation status, changes in said at least one plan,
14 and any combination of these repetition criteria;

15 further comprising iterating the steps of repeating and transforming until said base resources are
16 obtained;

17 wherein the step of obtaining is repeated according to a repetition criterion taken from a group of
18 repetition criteria comprising: changes in the description of the computing environment, changes
19 in the set of base resource types, changes in the set of composite resource types, and any
20 combination of these repetition criteria;

21 wherein the steps of selecting and requesting are repeated according to a repetition criterion taken
22 from a group of repetition criteria comprising: changes in the selection criteria, changes in

Express Mail No: EQ 619695080 US

1 resource availability, changes in resource reservation status, changes in said at least one plan, and
2 any combination of these changes;

3 wherein the steps of obtaining, selecting, requesting, and configuring are invoked at least once by
4 at least one managed resource service to add resources to said computing environment; and

5 wherein the step of selecting said plan satisfies a selection criterion taken from a group of
6 selection criteria comprising: cost, performance; and number of preferences satisfied; and any
7 combination of these selection criteria.

8 13. - 19. (canceled)

9 20. (Original) An article of manufacture comprising a computer usable medium having computer
10 readable program code means embodied therein for causing provisioning of at least one
11 computing environment in a computing utility, the computer readable program code means in
12 said article of manufacture comprising computer readable program code means for causing a
13 computer to effect the steps of claim 1.

14 21. (Original) A program storage device readable by machine, tangibly embodying a program of
15 instructions executable by the machine to perform method steps for provisioning at least one
16 computing environment in a computing utility, said method steps comprising the steps of claim
17 1.

18 22. (Original) A method comprising adding a base resource type to an operating computing
19 utility, said step of adding comprising:

20 furnishing a base resource library service to represent any instance of said base resource
21 type;

22 adding any instance of said base resource type to the base resource library service;

Docket No.: YOR920030588US1

-7/15-

Express Mail No: EQ 619695080 US

1 developing an implementation of a provisioning resource service for said base resource
2 type;

3 activating said provisioning resource service; and

4 creating an implementation of a managed resource service for said base resource type.

5 23. (Original) A method as recited in claim 22, further comprising:

6 updating any provisioning resource service of any composite resource type to use said
7 provisioning resource service for said base resource type; and

8 updating any managed resource service of any composite resource type to use said
9 managed resource service for said base resource type.

10 24. (Original) A method as recited in claim 22, wherein the step of adding a base resource type
11 is performed by a service provider to increase service offerings to at least one customer of said
12 service provider.

13 25. (Original) A method comprising adding a composite resource type to an operating computing
14 utility, said step of adding comprising:

15 creating an implementation of a provisioning resource service for said composite resource type,
16 said provisioning resource service using the provisioning resource services for sub-resources of
17 said composite resource type;

18 activating said provisioning resource service; and

Express Mail No: EQ 619695080 US

1 developing an implementation of a managed resource service for said composite resource type,
2 said managed resource service using the managed resource services for sub-resources of said
3 composite resource type.

4 26. (Original) A method as recited in claim 25, further comprising:

5 updating any provisioning resource service for a composite resource to use said provisioning
6 resource service for said composite resource type; and

7 updating any managed resource service for a composite resource to use said managed resource
8 service for said composite resource type.

9 27. (Original) A method as recited in claim 25, wherein the step of adding a composite resource
10 type is performed by a service provider to increase service offerings to at least one customer of
11 said service provider.

12 28. (Original) A method comprising adapting at least one third party workload management
13 system for a computing environment to a computing utility, said step of adapting comprising:

14 developing a managed resource service, said managed resource service interpreting a state of said
15 at least one third party workload management system; and

16 modifying a set of base resources comprising said computing environment as indicated by the
17 state of said at least one third party workload management system.

18 29. (Original) A method as recited in claim 2, further comprising:

19 receiving an event for returning at least one base resource from said at least one base resource
20 from at least one computing environment of said at least one computing environment;

Docket No.: YOR920030588US1

-9/15-

Express Mail No: EQ 619695080 US

1 unconfiguring said at least one base resource from at least one computing environment of said at
2 least one computing environment;

3 returning said at least one base resource to said computing utility; and

4 making available said at least one base resource for allocation to another computing
5 environment.

6 30. - 31. (Canceled)

7 32. (Currently amended) A method as recited in claim 1, further comprising at least one
8 limitation taken from a group of limitations consisting of:

9 further comprising receiving a customer request for at least one of said at least one computing
10 environment;

11 further comprising a Provisioned and Managed Resource Service of a composite resource using
12 the Provisioned and Managed Resource Service of a sub-resource to create and manage instances
13 of the sub-resource:

14 wherein said description further comprises at least one condition on said composite resource
15 definition; and

16 wherein said composite resource definition is a recursive combination of resources, said
17 combination being a combination taken from a group of combinations consisting of: at least one
18 base resource, at least one other composite resource and any combination of base resources and
19 composite resources.

20 33. (canceled)

Docket No.: YOR920030588US1

-10/15-

Express Mail No: EQ 619695080 US

1 34. (Currently amended) A method as recited in claim 24, wherein said managed resource
2 service is comprised of a group of managed resource services, each member of said group of
3 managed resource services is associated with a particular instance of resource in said composite
4 resource description, and

5 wherein said managed resource service employs at least one operation available to a particular
6 member of said group of managed resource services, said operation being performed by at least
7 one member of said group of managed resource services, said at least one operation being taken
8 from a group of operations comprising:

9 delivering at least one metric based on monitored data from said computing environment;

10 delivering at least one event based on monitored data from said computing environment;

11 modifying a state of said computing environment;

12 modifying at least one resource of said computing environment;

13 invoking at least one particular operation to modify the computing environment in
14 response to at least one particular metric; and

15 invoking at least one particular operation to modify the computing environment in
16 response to at least one particular event.

17 35. (Original) An article of manufacture comprising a computer usable medium having computer
18 readable program code means embodied therein for causing addition of a base resource type to an
19 operating computing utility, the computer readable program code means in said article of
20 manufacture comprising computer readable program code means for causing a computer to effect
21 the steps of claim 1.

Docket No.: YOR920030588US1

-11/15-

Express Mail No: EQ 619695080 US

- 1 36. (Original) An apparatus to provision at least one computing environment in a computing
- 2 utility, said apparatus comprising:
 - 3 a first processor module to employ a description of each of said at least one computing
 - 4 environment, said description directing an invocation of a first service which performs said
 - 5 provisioning, said description being a composite resource definition; and
 - 6 a second processor module to invoke said first service to perform said provisioning.
- 7 37. (Original) An apparatus as recited in claim 36, wherein said second processor module makes
- 8 available a managed resource service to manage each of said at least one computing
- 9 environment.
- 10 38. (Original) A computer program product comprising a computer usable medium having
- 11 computer readable program code means embodied therein for causing provisioning of at least one
- 12 computing environment in a computing utility, the computer readable program code means in
- 13 said computer program product comprising computer readable program code means for causing a
- 14 computer to effect the functions of claim 36.
- 15 39. (Currently amended) A program storage device readable by machine, tangibly embodying a
- 16 program of instructions executable by the machine to perform method steps for adding a base
- 17 resource type to an operating computing utility, said method steps comprising the steps of claim
- 18 22 †.
- 19 40. (Currently amended) An article of manufacture comprising a computer usable medium
- 20 having computer readable program code means embodied therein for causing addition of a
- 21 composite resource type to an operating computing utility, the computer readable program code
- 22 means in said article of manufacture comprising computer readable program code means for
- 23 causing a computer to effect the steps of claim 25 †.

Express Mail No: EQ 619695080 US

1 41. (Currently amended) A program storage device readable by machine, tangibly embodying a
2 program of instructions executable by the machine to perform method steps for adding a
3 composite resource type to an operating computing utility, said method steps comprising the
4 steps of claim 25 4.

5 42. (Original) An apparatus comprising:

6 a plurality of provisioning resource services to transform a description of a computing
7 environment into a plan for constructing a set of resources to provide said computing
8 environment, wherein the computing environment is represented as a composite resource
9 definition.

10 43. (Original) An apparatus as recited in claim 42, wherein said plurality of provisioning
11 resource services is to construct said resources into said computing environment according to
12 said plan, and said at least one provisioning resource service to make available a managed
13 resource service to manage the computing environment.

14 44. (Original) A method comprising:

15 obtaining a description of a computing environment, wherein said description is represented as a
16 composite resource definition; and

17 transforming a description of a computing environment into a plan for constructing a set of
18 resources to provide said computing environment.

19 45. (Original) An method as recited in claim 44, further comprising:

20 constructing said resources into said computing environment according to said plan; and

21 making available a managed resource service to manage the computing environment.

Docket No.: YOR920030588US1

-13/15-

Express Mail No: EQ 619695080 US

1 46. (Original) An article of manufacture comprising a computer usable medium having computer
2 readable program code means embodied therein for obtaining a description of a computing
3 environment, the computer readable program code means in said article of manufacture
4 comprising computer readable program code means for causing a computer to effect the steps of
5 claim 44.

6 47. (Original) A program storage device readable by machine, tangibly embodying a program of
7 instructions executable by the machine to perform method steps for obtaining a description of a
8 computing environment, said method steps comprising the steps of claim 44.

9 48. (Original) An article of manufacture comprising a computer usable medium having computer
10 readable program code means embodied therein for causing adaptation of at least one third party
11 workload management system for a computing environment to a computing utility, the computer
12 readable program code means in said article of manufacture comprising computer readable
13 program code means for causing a computer to effect the steps of claim 28.

14 49. (Original) A program storage device readable by machine, tangibly embodying a program of
15 instructions executable by the machine to perform method steps for adapting at least one third
16 party workload management system for a computing environment to a computing utility, said
17 method steps comprising the steps of claim 28.

18 50. (Original) A computer program product comprising a computer usable medium having
19 computer readable program code means embodied therein for causing development of a plan, the
20 computer readable program code means in said computer program product comprising computer
21 readable program code means for causing a computer to effect the functions of claim 42.

22 51. (Canceled)